

MYCOTAXON

AN INTERNATIONAL JOURNAL FOR RESEARCH ON
TAXONOMY & NOMENCLATURE OF FUNGI, INCLUDING LICHENS

Volume LXXI

April-June 1999

CONTENTS

New species of <i>Neofuscelia</i> and <i>Xanthoparmelia</i> (lichenized Ascomycotina: Parmeliaceae) from Zimbabwe	John A. Elix, Uwe Becker, and Gerhard Follmann	1
Studies in <i>Chaetosphaeria</i> sensu lato III. <i>Umbrinosphaeria</i> gen. nov. and <i>Miyoshiella</i> with <i>Sporidesmium</i> anamorphs	Martina Réblová	13
Studies in <i>Chaetosphaeria</i> sensu lato IV. <i>Crassochaeta</i> gen. nov., a new lignicolous genus of the Trichosphaeriaceae	Martina Réblová	45
Macrofungus flora of the Lagoon of Venice and adjacent areas (Italy): Non-gilled basidiomycetes. II. Corticioid fungi	Cristiano Losi	69
Two new species of <i>Xanthoparmelia</i> from Australasia (Ascomycotina, Parmeliaceae)	John A. Elix and Gintaras Kantvilas	89
Two new agarics found in Andaluca (peninsular Spain)	F. Esteve-Raventós and A. Ortega	95
A new species and a new record for the genus <i>Xerula</i> (Agaricales) from Costa Rica	Roy E. Halling and Gregory M. Mueller	105
New species and new records in the lichen family Parmeliaceae (Ascomycotina) from Thailand	Thitiporn Pooprang, Kansri Boonpragob, and John A. Elix	111
New records of Xylariaceae of Sonora, Mexico	Felipe San Martín, Jack D. Rogers, Pablo Lavín, Evangelina Pérez-Silva, and Martín Esqueda	129
An historical survey of <i>Hymenangium album</i> , <i>Rhizopogon albus</i> and <i>Tuber album</i>	Maria P. Martín	135
<i>Bulbothrix sipmanii</i> , a new lichen species from Guyana	A. Aptroot and R. J. M. T. van Auel	139
The taxonomic boundaries between <i>Naucoria rheophylla</i> and <i>Setchelliogaster tenuipes</i> based on morphological and molecular data	Maria P. Martín and August Rocabruna	141
Meliolaceae of Kerala, India - VI	V. B. Hosagoudar, T. K. Abraham, and J. L. Crane	149
Molecular relationships within the genus <i>Amylostereum</i> as determined by internal transcribed spacer sequences of the ribosomal DNA	R. Vasiliauskas, H. Johannesson, and J. Stenlid	155
Two new corticolous species of the genus <i>Lecidella</i> (Lecanoraceae, Lecanorales, lichenized Ascomycotina)	J.-G. Knoph, R. Garnitz, and C. Leuckert	163
Studies on mazaediate lichens and calicioid fungi of the Iberian Peninsula	Francisco Sarrión, Gregorio Aragón and Ana Rosa Burgaz	169
New species in the lichen genus <i>Parmotrema</i> (Armeliaceae, Ascomycotina) from southern Brazil	Mariana Fleig	199
Three new genera of smut fungi	Kálmán Vánky	207
Computer identification of gilled mushroom genera occurring in Canada	John Neville and Bryce Kendrick	223

[Contents continued inside front cover]

ISSN 0093-4666

MYXNAE 71: 1-534 (1999)

For subscription details, availability in microform, and availability of articles as photocopies or tear sheets, see back cover.

[Contents continued from front page]

Two new members of the <i>Sacharomycopsis</i> clade: <i>Sacharomycopsis microspora</i> , comb. nov. and <i>Candida lassenensis</i> , sp. nov.	C. P. Kurtzman	241
The status of the genus <i>Bovistoides</i> (Gasteromycetes)	Verónica L. Suárez and Jorge E. Wright	251
<i>Periconia flabelliformis</i> anam. sp. nov.	M. Mutañola-Cvetković, P. Hoyo, and A. Gómez-Bolea	259
Cladistic analysis of European species of <i>Rhizopogon</i> (Basidiomycotina) based on morphological and molecular characters	Hanna Johannesson and María P. Martín	267
New species, varieties and combinations in the genus <i>Flammulina</i>	Scott A. Redhead and Ronald H. Petersen	285
A new species of <i>Heteroconium</i> from a tropical rainforest	R. F. Castañeda Ruíz, M. Saikawa, and J. Guarro	295
<i>Conicomyces nassensis</i> , a new synnematus fungus from the Nass River valley, British Columbia	Keith A. Seifert	301
Myxomycetes from a seasonal tropical forest on the Pacific coast of Mexico	C. Lado, M. Rodríguez-Palma, and A. Etrada-Torres	307
The lichen genus <i>Parmeliella</i> (Pannariaceae) from the Andaman and Nicobar islands of India	Urmila Makhija and Bharati Adawadkar	323
Studies in neotropical polypores 3. New and interesting Basidiomycetes (Poriales) from Costa Rica	Irene Lindblad and Leif Ryvarden	335
Studies in neotropical polypores 4. New and noteworthy species from Coiba National Park, Panama	María Núñez and Leif Ryvarden	361
Biosystematics of <i>Didymium</i> : the non-calcareous long-stalked species	Jim Clark and Anthony Mires	369
A new foliicolous <i>Byssoloma</i> (lichenized Ascomycetes: Pilocarpaceae) from the Atlantic rainforest in Pernambuco, Brazil	Marcela Cáceres	383
<i>Lepidoderma crustaceum</i> , a nivicolous myxomycete, found on the island of Crete	Martin Schnittler and Yura K. Novozhilov	387
Fungi from palms. XVI. <i>Fasciatispora sabalicola</i> : further collections from Florida, USA	Bing-Sheng Lu and Kevin D. Hyde	393
<i>Buellia aeruginosa</i> , a new Australian <i>Buellia</i> species with pluriseptate spores	A. Nordin, B. Owe-Larsson, and J. A. Elix	399
<i>Daldinia singularis</i> , sp. nov. from eastern Russia and notes on some other taxa	Yu-Ming Ju, Larissa Vasilyeva, and Jack D. Rogers	405
A new combination for <i>Dioicomyces bournieri</i> (Laboulbeniales)	Sergio Santamaría	413
Two new species of <i>Xanthoparmelia</i> (Ascomycotina, Parmeliaceae) from North America	John A. Elix and Thomas H. Nash III	417
<i>Martanella nidulosa</i> , sp. et gen. nov., a hypogeous basidiomycete from northern Arizona, U. S. A.	Jack S. States and Robert Fogel	423
New species of <i>Neofuscella</i> (lichenized Ascomycotina, Parmeliaceae) from the southern hemisphere	John A. Elix	431
Cultural studies of non-poroid Aphyllophorales	Cristina G. Ibáñez	457
Some loculoascomycete species from the Great Basin, USA	Margaret E. Barr and Clark T. Rogerson	473
Intercontinental interrelationships among disjunct populations of <i>Melanotus</i> (Strophariaceae, Agaricales)	A. David Sime and Ronald H. Petersen	481
An apology		493
<i>Mycena californiensis</i> resurrected	Brian A. Perry, Brian A., and Dennis E. Desjardin	495
Online resources for fungal taxonomy and nomenclature: information quality	Kathie T. Hodge	507
Book Reviews	Eric H. C. McKenzie	509

[Contents continued from cover page 2]

Author Index	515
Errata	518
Index to Fungous and Lichen Taxa	519
Reviews	533
Publication Date for Volume 70	533
Journal Publication Statement	533

© Mycotaxon, Ltd., 1999



Author Index, Volume Seventy-One

- Abraham, T. K., see Hosagoudar & al.
- Adawadkar, Bharati, see Makhija & Adawadkar
- Anon. An apology.
- Aptroot, A., and R. J. M. T. van Aubel. *Bulbothrix sipmanii*, a new lichen species from Guyana, 71: 139-140.
- Aragón, Gregorio, see Sarrión & al.
- Aubel, R. J. M. T. van, see Aptroot & van Aubel
- Barr, Margaret E., and Clark T. Rogerson. Some loculoascomycete species from the Great Basin, USA, 71: 473-480.
- Becker, Uwe, see Elix & al.
- Boonpragob, Kansri, see Pooprang & al.
- Burgaz, Ana Rosa, see Sarrión & al.
- Cáceres, Marcela. A new foliicolous *Byssoloma* (lichenized Ascomycetes: Pilocarpaceae) from the Atlantic rainforest in Pernambuco, Brazil, 71: 383-386.
- Castañeda Ruíz, R. F., M. Saikawa, and J. Guarro. A new species of *Heterocontium* from a tropical rainforest, 71: 295-300.
- Clark, Jim, and Anthony Mires. Biosystematics of Didymium: the non-calcareous long-stalked species, 71: 369-382.
- Crane, J. L., see Hosagoudar & al.
- Desjardin, Dennis E., see Perry & Desjardin
- Elix, John A. New species of *Neofuscella* (lichenized Ascomycotina, Parmeliaceae) from the southern hemisphere, 71: 431-456.
- Elix, John A., Uwe Becker, and Gerhard Follmann. New species of *Neofuscella* and *Xanthoparmelia* (lichenized Ascomycotina: Parmeliaceae) from Zimbabwe, 71: 1-12.
- Elix, John A., and Gintaras Kantvilas. Two new species of *Xanthoparmelia* from Australasia (Ascomycotina, Parmeliaceae), 71: 89-93.
- Elix, John A., and Thomas H. Nash III. Two new species of *Xanthoparmelia* (Ascomycotina, Parmeliaceae) from North America, 71: 417-422.
- Elix, J. A., see Nordin & al.
- Elix, John A., see Pooprang & al.
- Esqueda, Martín, see San Martín & al.
- Esteve-Raventós, F., and A. Ortega. Two new agarics found in Andalucía (peninsular Spain), 71: 95-103.
- Etrada-Torres, A., see Lado & al.
- Feig, Mariana. New species in the lichen genus *Parmotrema* (Armeliaceae, Ascomycotina) from southern Brazil, 71: 199-206.
- Fogel, Robert, see States & Fogel
- Follmann, Gerhard, see Elix & al.
- Garnitz, R., see Knoph & al.
- Gómez-Bolea, A., see Mutañola-Cvetković & al.
- Guarro, J., see Castañeda Ruíz & al.
- Halling, Roy E., and Gregory M. Mueller. A new species and a new record for the genus *Xerula* (Agaricales) from Costa Rica, 71: 105-110.
- Hodge, Kathie T. Online resources for fungal taxonomy and nomenclature: information quality, 71: 507-508.

- Hosagoudar, V. B., T. K. Abraham, and J. L. Crane. Meliolaceae of Kerala, India - VI, 71: 149-153.
- Hoyo, P., see Mutañola-Cvetković & al.
- Hyde, Kevin D., see Lu & Hyde
- Ibáñez, Cristina G. Cultural studies of non-poroid Aphyllophorales, 71: 457-471.
- Johannesson, H., see Vasiliauskas & al.
- Johannesson, Hanna, and María P. Martín. Cladistic analysis of European species of *Rhizopogon* (Basidiomycotina) based on morphological and molecular characters, 71: 267-283.
- Ju, Yu-Ming, Larissa Vasilyeva, and Jack D. Rogers. *Daldinia singularis*, sp. nov. from eastern Russia and notes on some other taxa, 71: 405-412.
- Kantvilas, Gintaras, see Elix & Kantvilas
- Kendrick, Bryce, see Neville & Kendrick
- Knoph, J.-G., R. Garnitz, and C. Leuckert. Two new corticolous species of the genus *Lecidella* (Lecanoraceae, Lecanorales, lichenized Ascomycotina), 71: 163-168.
- Kurtzman, C. P. Two new members of the *Sacharomycopsis* clade: *Saccharomycopsis microspora*, comb. nov. and *Candida lassenensis*, sp. nov., 71: 241-250.
- Lado, C., M. Rodríguez-Palma, and A. Etrada-Torres. Myxomycetes from a seasonal tropical forest on the Pacific coast of Mexico, 71: 307-321.
- Lavin, Pablo, see San Martín & al.
- Leuckert, C., see Knoph & al.
- Lindblad, Irene, and Leif Ryvarden. Studies in neotropical polypores 3. New and interesting Basidiomycetes (Poriales) from Costa Rica, 71: 335-359.
- Losi, Cristiano. Macrofungus flora of the Lagoon of Venice and adjacent areas (Italy). Non-gilled basidiomycetes. II. Corticioid fungi, 71: 69-87.
- Lu, Bing-Sheng, and Kevin D. Hyde. Fungi from palms. XVI. *Fasciatispora sabalicola*: further collections from Florida, USA, 71: 393-397.
- Makhija, Urmila, and Bharati Adawadkar. The lichen genus *Parmeliella* (Pannariaceae) from the Andaman and Nicobar islands of India, 71: 323-334.
- Martín, María P. An historical survey of *Hymenangium album*, *Rhizopogon albus* and *Tuber album*, 71: 135-138.
- Martín, María P., and August Rocabrúna. The taxonomic boundaries between *Naucoria rheophylla* and *Setchelliogaster tenuipes* based on morphological and molecular data, 71: 141-148.
- Martín, María P., see Johannesson & Martín
- McKenzie, Eric H. C. Book Reviews, 71: 509-513.
- Mires, Anthony, see Clark & Mires
- Mueller, Gregory M., see Halling & Mueller
- Mutañola-Cvetković, M., P. Hoyo, and A. Gómez-Bolca. *Periconia flabelliformis* anam. sp. nov., 71: 259-265.
- Nash, Thomas H., III, see Elix & Nash
- Neville, John, and Bryce Kendrick. Computer identification of gilled mushroom genera occurring in Canada, 71: 223-240.
- Nordin, A., B. Owe-Larsson, and J. A. Elix. *Buellia aeruginosa*, a new Australian *Buellia* species with pluriseptate spores, 71: 399-404.
- Novozhilov, Yura K., see Schnittler & Novozhilov

- Núñez, María, and Leif Ryvarden. Studies in neotropical polypores 4. New and noteworthy species from Coiba National Park, Panama, **71**: 361-368.
- Ortega, A., see Esteve-Raventós & Ortega
- Owe-Larsson, B. see Nordin & al.
- Pérez-Silva, Evangelina, see San Martín & al.
- Perry, Brian A., and Dennis E. Desjardin. *Mycena californiensis* resurrected, **70**: 87-97 [71: 495-505]
- Petersen, Ronald H., see Redhead & Petersen
- Petersen, Ronald H., see Sime & Petersen
- Pooprang, Thitiporn, Kansri Boonpragob, and John A. Elix. New species and new records in the lichen family Parmeliaceae (Ascomycotina) from Thailand, **71**: 111-127.
- Réblová, Martina. Studies in *Chaetosphaeria* sensu lato III. *Umbrinosphaeria* gen. nov. and *Miyoshiella* with *Sporidesmium* anamorphs, **71**: 13-43.
- Réblová, Martina. Studies in *Chaetosphaeria* sensu lato IV. *Crassochaeta* gen. nov., a new lignicolous genus of the Trichosphaeriaceae, **71**: 45-67.
- Redhead, Scott A., and Ronald H. Petersen. New species, varieties and combinations in the genus *Flammulina*, **71**: 285-294.
- Rocabruna, August, see Martín & Rocabruna
- Rodríguez-Palma, M., see Lado & al.
- Rogers, Jack D., see Ju & al.
- Rogers, Jack D., see San Martín & al.
- Rogerson, Clark T., see Barr & Rogerson
- Ryvarden, Leif, see Lindblad & Ryvarden
- Ryvarden, Leif, see Núñez & Ryvarden
- Saikawa, M., see Castañeda Ruiz & al.
- San Martín, Felipe, Jack D. Rogers, Pablo Lavín, Evangelina Pérez-Silva, and Martín Esqueda. New records of Xylariaceae of Sonora, México, **71**: 129-134.
- Santamaría, Sergio. A new combination for *Dioicomyces bournieri* (Laboulbeniales), **71**: 413-416.
- Sarrión, Francisco, Gregorio Aragón, & Ana Rosa Burgaz. Studies on mazaediate lichens and calicioid fungi of the Iberian Peninsula, **71**: 169-198.
- Schnittler, Martin, and Yura K. Novozhilov. *Lepidoderma crustaceum*, a nivicolous myxomycete, found on the island of Crete, **71**: 387-392.
- Seifert, Keith A. *Conicomyces nassensis*, a new synnematus fungus from the Nass River valley, British Columbia, **71**: 301-306
- Sime, A. David, and Ronald H. Petersen. Intercontinental interrelationships among disjunct populations of *Melanotus* (Strophariaceae, Agaricales), **71**: 481-492.
- States, Jack S., and Robert Fogel. *Marthanella nidulosa*, sp. et gen. nov., a hypogeous basidiomycete from northern Arizona, U. S. A., **71**: 423-429.
- Stenlid, J. see Vasiliauskas & al.
- Suárez, Verónica L., and Jorge E. Wright. The status of the genus *Bovistoides* (Gasteromycetes), **71**: 251-258.
- Vánky, Kálmán. Three new genera of smut fungi, **71**: 207-222.
- Vasiliauskas, R., H. Johannesson, and J. Stenlid. Molecular relationships within the genus *Amylostereum* as determined by internal transcribed spacer sequences of the ribosomal DNA, **71**: 155-161.
- Vasilyeva, Larissa, see Ju & al.
- Wright, Jorge E., see Suárez & Wright

ERRATA

VOLUME SIXTY-ONE

Page 15, line 34,39	for <i>Phaeostrichosphaeria</i>	read <i>Phaotrichsphaeria</i>
Page 35, line 20	for <i>later</i>	read <i>latter</i>
Page 36, line 15	for <i>celomycete</i>	read <i>coelomycete</i>
Page 38, line 19	for <i>relatedbecause</i>	read <i>related because</i>
Page 56, line 25	for <i>neotype</i>	read <i>lectotype</i>
Page 56, line 43	for <i>a neotype. Therefore the neotype</i>	read <i>holotype. Therefore, the lectotype</i>
Page 61, line 38	for <i>versicoloures</i>	read <i>versicoloured</i>
Page 62, line 43	for <i>ir</i>	read <i>is</i>
Page 65, line 9	for <i>families</i>	read <i>genera</i>
Page 96, line 15	for <i>griseocyaneum</i> var.	read <i>griseocyaneum</i> (Fr.:Fr.) <i>P. Kumm. var.</i>
Page 98, line 20	for <i>griseocyaneum</i> var. <i>griseocyaneum</i> (Fr.: Fr.) <i>P. Kumm.</i>	read <i>griseocyaneum</i> (Fr.:Fr.) <i>P. Kumm. var. griseocyaneum</i>
Page 130, line 44	for <i>Xlaria</i>	read <i>Xylaria</i>
Page 143, line 23	for <i>less that</i>	read <i>less than</i>
Page 198, line 2	for <i>tubiformis</i>	read <i>tubaeformis</i>
Page 205, line 19	for <i>latin</i>	read <i>latin</i>
Page 225, line 22	for <i>Myristoma</i>	read <i>Myriostoma</i>
Page 272, line 9	for <i>(sing.)</i>	read <i>(Sing.)</i>
Page 274, line 17	for <i>subcaerulascens</i>	read <i>subcaerulescens</i>
Page 275, line 7	for <i>that</i>	read <i>than</i>
Page 276, line 1	for <i>corsiucs</i>	read <i>corsicus</i>
Page 277, line 1	for <i>corsiucs</i>	read <i>corsicus</i>
Page 279, line 29	for <i>ochracerosesus</i>	read <i>ochraceoroseus</i>
Page 280, line 31	for <i>subcaerulascens</i>	read <i>subcaerulescens</i>
Page 299, line 4	for <i>clairatyion</i>	read <i>calibration</i>
Page 299, line 13	for <i>that</i>	read <i>of</i>
Page 299, line 15	for <i>nrDNA Grubisha, (pers.</i>	read <i>nrDNA (Grushuba, pers.</i>
Page 299, line 20	for <i>which</i>	read <i>who</i>
Page 299, line 33	for <i>steril estipe</i>	read <i>sterile stipes</i>
Page 296, line 11	for <i>tetracoila Hol.-Jech.</i>	read <i>tertaoila (Corda) Hol.-Jech.</i>
Page 310, line 17	for <i>Ceratyomyxa</i>	read <i>Ceratiomyxa</i>
Page 323, line 3	for <i>have been</i>	read <i>are</i>
Page 323, line 4	for <i>has been</i>	read <i>is</i>
Page 336, line 5	for <i>(Nunez)</i>	read <i>(Núñez)</i>
Page 341, line 8	for <i>form</i>	read <i>from</i>
Page 346, line 25	for <i>it assumed</i>	read <i>it was assumed</i>
Page 350, line 33	for <i>Cystidols</i>	read <i>Cystidioles</i>
Page 358, line 34	for <i>Nunez,</i>	read <i>Núñez,</i>
Page 385, line 7	for <i>annua</i>	read <i>dimerelloiodes</i>
Page 431, line 17	for <i>wessellsii</i>	read <i>wesselsii</i>
Page 468, line 9-12	for <i>apud</i>	read <i>in</i>

INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME SEVENTY-ONE

This index includes names of genera, infrageneric taxa, species, and infraspecific taxa, as well as new names of suprageneric taxa. All new names are in CAPITALS. The page number on which a new name is proposed is followed by an asterisk (*).

- Acantharia 474
- Acanthostigma 65
- Acarocybellina 16
- Achaetobotrys 473
- LATISPORA 473-474*, 476
- Acutocapillitium 251
- torrendii 252, 255
- Agaricus 225
- californiensis 495-497, 499, 501
- elasticus 285, 288, 293-294
- horizontalis 484, 488-489
- velutipes 285-286
- Agrocybe 225
- Akaropeltella 35
- kielmeyerae 35
- Alboleptonia 225
- Alnicola 225
- Alpova 268
- Alternaria 413
- Amanita 225, 229, 231, 233-236
- Amphinema
- arachispora 71
- byssoides 70
- Amylocorticium 84
- Amyloporus 357
- braceii 357
- Amylostereum 155-158
- areolatum 155-158
- chailletii 155-158
- ferreum 158, 160
- laevigatum 155-158, 160
- Antennulariella 473
- Anthostoma
- sabalicolum 393, 396
- Anthostomella 393
- clypeata 393, 396
- Antrodia
- crassa 362
- xantha 78
- Antrodiella 363
- DURACINA 335, 336*-337
- hydrophila 362
- incrustans 362
- REFLEXA 361-362*, 364
- semisupina 363
- versicuttis 337
- Apiospora 54
- Arachnion 423, 427-428
- Arachnophora 37-38
- excentrica 37
- Arcyria 317
- cinerea 311
- denudata 311
- Armillaria 158, 225
- Armillariella 225
- Arthrinium 48, 54
- Arthroascus 241, 249
- Ascocodinaea 58
- Asteridiella 150
- iquitosensis 64
- SCHUMANNIANTHI 149*-150
- Asterina
- clasterosporium 36
- Asterodothis 36
- solaris 36
- Asterophora 225
- Asterostroma
- cervicolor 71-72
- gaillardii 71
- medium 71
- ochroleucum 71
- Asterostromina 36
- Athelia 71-72
- teutoburgensis 71
- Aurificaria
- luteo-umbrina 362
- Bacidia 385
- micrommata 385
- psychotriac 385
- submicrommata 385
- Badimia 385
- Baeospora 225
- Balladynopsis
- crossopterygis 36
- Balsamia
- vulgaris 137
- Bolbitius 225
- Boletinus 267, 279
- asiaticus 279
- cavipes 279

- Bombardia 36
 Botryoascus 241, 249
 Botryobasidium
 candicans 71
 conspersum 71
 pruinatum 71-72
 Bovista
 colorata 135
 Bovistoides 251-252, 255
 simplex 251-256
 torrendii 251-252, 255
 Brevicellicium
 olivascens 73
 Buellia 399, 402
 AERUGINOSA 399, 400*-403
 alboatra 399-400, 402-403
 geophila 402
 lauricassiae 399
 oidalea 402
 tolucae 402
 triphragmioides 402
 vernicoma 402
 Bulbothrix 139-140
 hypochraea 118
 meizospora 118
 queenslandica 119
 schiffneri 139-140
 semilunata 140
 sensibilis 119
 SIPMANII 139*-140
 Burrillia 212, 215, 220
 sagittariae 207, 215
 Byssoloma 383, 385-386
 amazonicum 384-386
 anomalum 384-386
 clauzadei 384
 confusum 384-386
 dimerelloides 384-386
 ortizii 385
 PERNAMBUCENSIS 383, 384*-386
 subundulatum 384-386
 syzygii 384-386
 wettsteinii 385
 Byssomerulius
 albostramineus 72-73
 corium 73
 Calicium 170
 abietinum 170, 189, 193
 adpersum 171, 189, 193
 corynellum 171, 179, 189, 193
 denigratum 171-172, 189, 193
 glauccellum 172, 189, 193
 hyperelloides 173, 190, 193
 lenticulare 173, 190, 194
 quercinum 173, 190, 193, 194
 salicinum 174, 181, 189, 194
 trabinellum 174, 189, 194
 viride 175, 181, 189, 194
 Callistosporium 225
 Calocybe 225
 Caloplaca 187
 Camarophyllus 225
 Candida 241-243
 amapae 243-244
 LASSENENSIS 241, 243-245*, 247-249
 Canomaculina
 subinctoria 119
 Cantharellula 225
 Cantharellus 158, 226
 Catathelasma 225
 Ceratimyxa 317
 fruticulosa 310
 Ceratosporium 15, 36-38, 65
 Cercophora 36
 Ceriporia
 MICROSPORA 335, 337*-338
 spissa 343
 Chaenotheca 175-176
 brachypoda 188-189
 brunneola 175, 190, 194
 chlorella 188-189
 chrysocephala 176-177, 189, 195
 ferruginea 177, 181, 189, 195
 furfuracea 177, 189, 195
 hispidula 188-189
 phaeocephala 169, 178, 189, 195
 stemonea 188-189
 trichialis 178, 181, 189, 195
 xyloxena 188-189
 Chaenothecopsis 179
 debilis 169, 179, 189, 195
 hospitans 169, 171, 179, 190, 196
 pusilla 180, 189, 196
 pusiola 169, 180, 189, 196
 savonica 188-189
 viridireagens 180, 189, 196
 Chaetosphaeria 13-15, 22, 28, 36, 39-40, 45-46, 61-62
 africana 62
 ampulliformis 13, 16, 39-40
 bihyalina 62
 caelestinoides 15, 18, 22, 62
 caespitulosus 15, 18, 22, 62
 coelestina 62
 coffae 62
 elegans 46, 60, 62
 fusca 63
 fususpora 13-14, 26, 54, 56, 63
 hainanensis 45, 48, 50, 63
 helicteridis 46, 60, 63
 hemipsila 63
 incrustans 63

- [*Chaetosphaeria*] innumera 63
 iquitosensis 63
 longipila 46, 61, 64
 multiseptata 15, 18, 22, 64
 nigrita 45-46, 48, 64
 ornata 46, 60-61, 64
 ovoidea 39
 pezizaeformis 15, 18, 22, 64
 phaeostroma 64
 var. phaeostromoides 64
 phaeostromoides 64
 pulviscula 39
 rehmana 64
 subcaespitosa 64
 tristis 65
Chaetosphaerella 38, 58, 61-62, 66
 fusca 62-64
 fusispora 45-46, 54, 56, 63
 indica 63
 phaeostroma 64-65
Chamaeota 225
Cheimonophyllum 225
Chlorophyllum 225
Choiromyces
 meandriiformis 135-136
Chondrostereum
 purpureum 73
Chroogomphus 225
 vinicolor 268, 272, 280-281
Chrysomphalina 225
Cladonia 186
Clasterosporium 35-36
 adscendens 33
 hormiscioides 18
 larvatum 30
 vermiculatum 18
Clastoderma 317
 debaryanum 311
Claudopus 225
Clitocybe 225
Clitocybula 225
Clitopilus 225
Coccocarpia 326
Codinaea 58
Coleroa 474
Collybia 225
Comatricha 316-317
 pulchella 313, 316
 tenerrima 316
 typhoides 317
Coniomyces 301, 305
 contortus 301, 303-305
 NASSENSIS 301-302*, 304-305
 transvaalensis 301, 304-305
Coniobrevicolla 38, 62, 65
 larsenii 64
Coniophora
 arida 73
 olivacea 73
 puteana 73
Conocybe 225
Coprinus 225
Corticium
 roseum 457-459, 470
 sordidum 461
 tuberculatum 463
Cortinarius 225
 armillatus 157
 traganus 157
CRASSOCHAETA 38, 45-46*, 58, 60, 62, 65
 FUSISPORIA 45-46, 54*, 57-59, 61, 63-64
 NIGRITA 45-46, 48*, 51-54, 58, 60, 62-64
Craterellus 158, 226
Craterium 317
 leucocephalum
 var. leucocephalum 311
Crepidotus 225
Cribraria 317-318
 cancellata
 var. cancellata 310
 var. fusca 307, 310
 tenella 310, 312, 318
 violacea 311
Crinipellis 108, 225
Cristinia
 rhenana 72, 74
Crustoderma
 dryinum 74
Cylindrobasidium
 evolvens 74
Cyphelium 181
 inquinans 181, 190, 196
 lecideinum 181, 190, 196
 marcianum 181, 190, 197
 notarissii 169, 182, 189, 197
 sessile 182, 190, 197
 tigillare 183, 189, 197
Cyptotrampa 225
Cystoderma 225
Cystolepiota 225
Daedalea 341
 aethalodes 363
 HYDNOIDES 335, 339*-340
 stereoides 341
Daldinia 129, 405-406, 408, 410
 caldarium 408
 cudonia 410-411
 eschscholzii 129-130
 fissa 405, 408, 410

- [*Daldinia*] *mexicana* 405, 408, 410
occidentalis 133-134
petriniae 134, 408, 411
 SINGULARIS 405*-406, 408, 410-411
- Datronia*
scutellata 344
- Degelia* 325
- Delicatula* 225
- Dermatosorus* 215-216
- Dermocybe* 225
- Dermoloma* 225
- Descotea*
rheophylla 141
- Descomyces*
albus 135, 137
- Diachea* 317-318
bulbiflora 311-313, 318
leucopodia 313, 318
radiata 312-313, 318
silvaeplovialis 307, 313, 315, 318
- Diademosa* 476
 FOLIICOLA 473, 476, 478*-479
- Dictydium*
cancellatum 310
- Dictyochaeta* 58
- Diderma* 317
alpinum 390
effusum 313
spumarioides 313
- Didymium* 369, 372, 378, 380
bahiense 378, 380
clavus 372
columella-cavum 378-380
dictyopodium 378-380
eremophilum 378, 380
eximium 378-379, 381
iridis 369, 375, 378-381
lenticulare 378-380
megalosporum 369, 378-381
nigripes 372, 378, 380
ovoideum 369-372, 375, 378-381
proximum 378-379, 381
verrucosporum 378, 380
- Dimeromyces* 413-414, 416
 BOURNIERI 413-414*
- Dioicomyces* 413-414
 BOURNIERI 413, 414*-416
floridanus 414
myrmecophilus 414
- Diplococcium* 66
- Diplomitoporus*
 COSTARICENSIS 335, 341*
dilutabilis 342
overholtsii 341
- Diplotomma* 399
alboatrum 399
- Dirinaria*
alita 330
- Disciseda* 251-252
minimum 252
- Doassansia* 212-213, 216, 220
alismatic-oligococci 207, 213, 215
- Doassansioopsis* 212-213, 220
- Doassinga* 212-213, 220
- Dothideopsella* 473
 CERCOCARPI 479*
agminalis 479
- Dothidotthia* 479
- Drechslera*
sorokiniana 35
- Eccilia* 225
- Elateromyces* 207
endotrichus 207-208
olivaceus 207
- Ellisembia* 16, 34-35
adscendens 33
- Endomycopsella* 241, 249
- Endophragmiella* 15, 36-38, 40, 66
africana 38
canadensis 38
dimorphospora 38
theobromae 38
- Entoloma* 225
griseocyaneum 98-99
 var. GLYCOSMUS 95-96*
 var. *griseocyaneum* 96, 98
 var. *rhodocephalum* 99
poliopus 99
- Entyloma*
callitrichis 213
- Eosphaeria* 36
- Eriosphaeria* 65
nigrita 48, 64
- Erythrimum*
hypnophilum 74
- Eupelte* 35
- rapaneae* 35
- Euryachora*
paeoniae 474
stellariae 474
- Evermistrum*
arsenei 112
 SCABRIDUM 111-112*, 114
- Farysia* 207, 212
endotricha 207-208
javanica 207
trichopterygis 212
- FARYSPORIUM 207-208*, 212
 ENDOTRICHUM 207, 208*-209, 211
- Fasciatispora* 393, 396
lignicola 396
nypae 396

- [Fasciatispora] sabalicola 393-395
 Fayodia 225
 Fellhanera 385
 pilomarginata 385
 stanhopeae 385
 sublecanorina 385
 Flammulina 225, 285-286, 288, 290-291, 294
 callistosporioides 286
 ELASTICA 285-286, 293*-294
 f. LONGISPORA 285, 293*
 fennae 286
 ferrugineolutea 286
 mediterranea 286
 mexicana 286
 ononidis 286, 292
 POPULICOLA 285-286, 288*-292, 294
 ROSSICA 385-286, 288, 290*-292, 294
 similis 286
 stratosa 286
 velutipes 286, 289-290, 292-294
 var. LUPINICOLA 285, 288, 292*
 var. velutipes 287-288, 292-293
 f. longispora 285, 293
 Fomes
 pyrrohocreas 350
 Fomitopsis
 rhodophaea 363
 Fuligo 317
 megaspora 313, 315
 Fuscoboletinus 267, 279
 Galerina 225
 Gangliophora 16
 Ganoderma
 australe 365
 Gasterosporium 423, 427-428
 Gastrocybe 225
 Gastrosuillus 146, 273
 laricinus 272, 280-281
 Geastrum 428
 Gerronema 225
 Globulicium
 hiemale 74
 Gloeophyllum 341
 striatum 339
 Gloiothele
 lactescens 74
 Gomphidius 225
 glutinosus 268, 272-273, 280-281
 Gomphus 226
 Grammothele
 lineata 362
 Grandinia
 corrugata 464
 Graphina
 flexilis 332
 Guilliermondella 241, 249
 Gymnopilus 225
 Haematomma
 ochroleucum 179
 Hapalopilus 343
 mutans 343
 TROPICUS 335, 342*-343
 Haplotrichum
 capitatum 71
 conspersum 71
 Hebeloma 225
 Heliocybe 225
 Helminthosphaeria 66
 Hemicorynespora 39
 multiseptata 39-40
 Hemicorynesporella 16
 Hemimycena 225
 Hemitrichia 317
 calyculata 318
 serpula 311
 Heterobasidion 158
 Heteroconium 295
 arundicum 296-297
 asiaticum 296
 chaetospira 295-296
 ciitharexylis 295-297
 DECOROSUM 295, 297*-299
 indicum 296
 lignicola 296
 ponapense 296
 queenslandicum 296
 solaninum 295-296
 tetracoilum 296
 tropicale 296
 Heterodoassansia 212, 220
 Hexagonia
 papyracea 363
 Hohenbuehelia 225
 Humidicutis 225
 Hydnangium
 sublamellatum 146
 Hydnum
 flavum 466
 rawakense 468
 Hydropus 225
 Hygrocybe 225
 Hygrophoropsis 225
 Hygrophorus 225
 Hymenangium
 album 135-137
 Hymenochaete 335
 ungulata 335-336, 343-344
 Hymenogaster 137
 albus 136-137

- Hyphoderma
 argillaceum 74-75
 mutatum 75
 praetermissum 75
 puberum 75, 77
 setigerum 75, 77
 Hyphodermella
 corrugata 76, 457, 464-465, 470
 Hyphodontia 76
 arguta 76
 aspera 76
 breviseta 76
 gossypina 76
 pallidula 76
 sambuci 76
 Hypochnicium
 caucasicum 76
 vellereum 76
 Hypotrachyna
 adducta 119
 adjuncta 120
 CHLOROBARBATICA 111, 113*-114
 coorgiana 115, 120
 crenata 113, 115
 immaculata 120
 masonhalei 121
 physcioides 113, 120
 AMKHAMHAENGIANA 111, 113*-115
 Hypoxylon 129
 anthochroum 129-131
 polyporum 129-131
 Hysizygus 225
 Imimyces 16
 Inocybe 225
 Inonotus 346
 splitbergeri 346
 XANTHOPORUS 335, 345*
 Inopilus 225
 Iodosphaeria 15, 36-38, 65
 Irene
 crotonis 150
 Irenina
 iquitosensis 63
 Irenopsis 151
 crotonis 149-151
 molleriana 149, 151-152
 Janetia 16
 Junghuhnia 349
 MINUTA 335, 346*-347, 349
 NEOTROPICA 335, 348-349*
 Kuehneromyces 225
 Laccaria 146, 225
 Lacrimaria 225
 Lactarius 142, 225
 Laeticorticium
 roseum 458
 Lagarobasidium
 detriticum 76
 Lambertella 226
 Lamproderma 317
 arcyrionema 316
 Lasiosphaeria 13-15, 36, 61
 caesariata 13, 15, 18, 62
 canescens 37-38
 hemipsila 63
 punctata 37-38
 rehmiana 64
 triseptata 13, 15, 33, 65
 Laterispora
 brevirama 37-38
 Laurera
 sphaerioides 332
 Lecanora 188
 elixii 401
 Lecidella 163
 APTROOTII 163, 164*-165
 COMMUTATA 163, 165*-167
 elaechroma 165
 sublapicida 167
 Lentinelus 225
 Lentinula 225
 Lentinus 158, 225
 tigrinus 146
 Lepidoderma 392
 aggregatum 387, 390
 crustaceum 387-390, 392
 Lepiota 225
 Lepista 225
 Leptogium 326
 Leptoglossum 225
 Leptonia 225
 Leptoporus
 duracinus 336
 Leptosphaeria 479
 cercocarpi 473, 479
 Leucoagaricus 225
 Leucocoprinus 225
 Leucogyrophana
 mollusca 78
 Leucopaxillus 225
 Lichen
 pannosus 333
 Limacella 225
 Lindtneria
 leucobryophila 78
 Linkosia 16
 Litschauerella
 clematitis 78
 Litschaueria
 longipila 61, 64
 Lycogala 317

- [*Lycogala*] *epidendrum* 311
exiguum 311, 318
Lycoperdon
gibbosum 136
Lylea 295-296
tetracoila 296
Lyophyllum 225
Macowanites 142
messapicoides 142
Macrocyttidia 226
Macrohyporia 365
dictyopora 365
PILEATA 361, 363*-364
Macrolepiota 225, 231
Marasmiellus 226
Marasmius 226
MARTHANELLA 423-424*, 427-429
NIDULOSA 423-424*, 427
Megacollybia 226
Melanochaeta 62
hemipsila 39, 62-64
Melanoleuca 226
Melanomphalia 225
Melanophyllum 225
Melanotus 225, 481, 483-484, 486-490
hartiae 489-490
horizontalis 481-482, 486-489
proteus 481-482, 486-487, 489
textilis 481-482, 485-487, 489-490
Meliola
FRUTESCENTIS 149, 152*-153
ichnocarpi 153
iquitosensis 63
molleriana 151
procera 151
Meliolina
iquitosensis 63
Meliolinopsis
iquitosensis 63
Meruliopsis
taxicola 78
Metacoleroa 474
dickiei 474
Metschnikowia
agaves 249
Microcalicium
disseminatum 188-189
Micromphale 226
Miyoshia 28
fusispora 26, 28
Miyoshiella 13, 15-16, 24, 28, 35-40, 62, 65
fusispora 13, 15, 24, 26-28, 63
LARVATA 13, 15, 24, 26, 28*-29, 31-32, 34, 39, 64
TRISEPTATA 13, 15, 24, 26, 32, 33*-34, 39, 65
Morrisographium 301, 305
Mycena 95, 226, 503
Sect. Carolinenses 101
Sect. Insignes 95, 101
Sect. Polyadelphia 102
adscendens 95
atkinsoniana 503-504
californiensis 493, 495-499, 501-504
carolinensis 101
crocata 504
elegantula 495-497, 500-502
GLADIOCYSTIS 95, 99*-102
haematopus 503
insignis 101
mucor 95
purpureofusca 501-502
quercophila 95, 102
quercus-ilicis 95
renati 501-502
rubromarginata 502
sanguinolenta 495, 501-504
smithiana 95
Mycenastrum 254
Mycocacia
aurea 78
nothofagi 78
Mycocaciella
bispora 79
hinnulea 79
Mycobonia
flava 457, 466-467, 470
Mycocalicium 183
subtile 183, 189, 197
victoriae 184, 190, 197
Mycocleptodon
rawakensis 468
Myelochroa
denegans 120
Myriostoma 251-252, 255
coliforme 251-253, 255-256
Myxomphalia 226
Naematoloma 225
Nannfeldtiomyces 212, 220
Narasimhanian 212, 220
Naucoria 146, 225
rheophylla 141-144, 146
Nematostoma 476
Neofuscelia 1-2, 431, 433, 437, 441, 443-444, 446, 451, 454
applicata 432
APPLICATELLA 431, 432*-433
atrobarbatica 441
BRANDWAGENSIS 431, 433-434*
brussei 435-436, 454
CERESELLA 431, 433, 434*-435

- [Neofuscelia] CHUDALUPENSIS 431, 433,
435*-436
convexa 2
crustulosa 3, 448, 450
delisei 436, 438
DELISIELLA 431, 436*-437
delisoides 438
DOMBOENSIS 1-2*, 4
ELDRIDGEI 431, 437-438*
FRANKLINENSIS 431, 437, 439*
glabrans 445
GLOMELLIFERONICA 431, 437, 440*
GRANITICOLA 431, 441*, 443
imitatricoides 454
incomposita 444-445, 447
LEPPII 431, 441*-443
LOBARICA 431, 442*-444
luteonotata 438
minuta 439
namaensis 2, 445, 447
NAMIBIENSIS 431, 444*
NEOGLABRANS 431, 445*-446
neopyrenaica 440
NORINCOMPOSITA 431, 446-447*
POLYSTICTICA 431, 446, 448*
pulla 453
pyrenaica 440
remnantia 441-442, 444, 454
scabrosina 434-435
squamariata 448-450, 452
SQUAMARIATELLA 431, 446, 448*-
449, 452
stygiodes 436, 439
SUBCRUSTULOSA 431, 450*-451
subincomposita 445
SUBPROLIXA 431, 453, 455*
SUBSQUAMARIATA 431, 450*-452
THORSTENII 1, 3*-4
TORULOSA 431, 451, 453*
verisidiosa 434, 441-442
WESSELSII 431, 451, 454*
- Neolentinus 226
Nodulisporium 408, 411
Nolanea 225
Odontia
 corrugata 464
Oedemium 38, 58, 66
Omphalina 226
Omphalospora
 stellariae 474
Omphalotus 226
Ossicaulis 226
Oudemansiella 226
 Subg. Xerula 106
 echinosperma 108
 pudens 108
 steffenii 108
Pachyleprium 225
Panaeolus 225
Panellus 226
Pannaria 323
 brisbanensis 328
 endomilta 330
Panus 226
Parmelia 431
 Subg. Neofusca 431
 subprolixa 455
Parmeliella 323-326, 333
 ALLOCHROA 323-325, 327*-328, 330,
 333
 brisbanensis 323-324, 327-328, 330
 ENDOMILTA 323-324, 330*, 332
 var. ACHROMATICA 323-326, 330*,
 332
 leiotroma 332
 MACROSPORA 323-326, 328, 330,
 332*-333
 mariana 325, 328, 332-333
 pannosa 325, 333-334
 var. delicata 334
 plumbea 325
 triptopylla 325
Parmelinella
 CHOZUBAE 111, 121*
Parmelinopsis
 horrescens 121
 microlobulata 121
 minarum 122
Parmeliopsis
 ambigua 122
Parmotrema 199
 abessinicum 122
 abnuens 204
 alidactylatum 199-201
 amaniense 117-118
 corniculans 122
 DACTYLOSUM 199, 200*-202
 DISSIMILE 199-201*, 202
 elacinatum 123
 hababianum 123
 HORRIDUM 199-200, 202*, 204
 incrassatum 123
 internexum 205
 mellissii 199, 204
 mordenii 199-201
 overecmii 123
 peralbidum 199, 205
 planatibolatum 124
 PRAEISIDIOSUM 199-200, 202, 204*-
 205
 praesorediosum 199, 201, 205
 pseudonigherrense 124

[Parmotrema] RUBROMARGINATUM

- 111, 115*-117
- soredioaliphaticum 199-201
- "sp. 1" 200
- "sp. 2" 202
- subarnoldii 115, 117, 124
- sulphuratum 124
- THAILANDICUM 111, 116, 117*-118
- tsavoense 199-202
- vainioi 204
- zollingeri 123
- Paxillus 225
- Penicillium 226
- Peniophora
 - cinerea 79
 - incarnata 79
 - lacta 79
 - lycii 79
 - nuda 79
 - quercina 79
 - septocystidia 459
 - tamaricicola 80
- Penzigomyces 16
- Perenniporia
 - medulla-panis 365
- Perichaena 317
 - chrysosperma 311
- Periconia 259, 262
 - FLABELLIFORMIS 259, 260*-261, 263-264
 - fusiformis 264
 - genistae 264
 - hispidula 259, 264-265
 - lateralis 264
 - pseudolateralis 264
 - sahariana 264
 - saraswatipurensis 262
 - stilbacearum 262
 - tirupatiensis 262
 - yadagirensis 262
- Periconiella 408, 410
- Pertusaria 181-182, 187-188
 - leioplaca 187
 - persulphurata 401
 - subventosa 401
- Phaeocalicium
 - populneum 188-189
- Phaeocollybia 225
- Phaeoisaria 65
- Phaeolepiota 225
- Phaeomarasmius 225
 - rimulincola 488
- Phaeotrichosphaeria 15, 36-38, 66
 - caesariata 18, 62
- Phanerochaete
 - aculeata 80

- cremeo-ochracea 81
- deflectens 80
- lutea 80
- magnoliae 77, 80
- martelliana 81
- pallidovirens 81
- parvispora 81
- septocystidia 457, 459-460, 470
- sordida 80-81, 457, 461-462, 470
- subquercina 82
- tamariciphila 81
- tuberculata 82, 457, 463-464, 470
- velutina 77, 82-83
- Phellinus
 - membranaceus 362
- Phialophora 14
- Phlebia
 - chrysocreas 83
 - radiata 83
 - rufa 83
 - tremellosa 83
- Phlebiella
 - sulphurea 83
 - tulasnelloidea 83
- Pholiota 225
- Phylloporus 225
- Phyllotopsis 226
- Physarum 317
 - cinereum 314
 - compresum 314
 - didermoides 314
 - javanicum 307, 314, 318
 - leucopus 314
 - melleum 314
 - nicaraguense 314-315, 318
 - nutans 314
 - polycephalum 375
 - serpula 314
 - viride
 - var. aurantium 307, 314
- Phytoconis 226
- Phytophthora 238
- Pichia
 - microspora 241-242, 245
 - segobiensis 249
 - stipitis 249
- Piloporia 335, 351
 - ALBOMARGINATA 335, 350*
 - indica 350
 - sanjanensis 351
- Piptoporus
 - soloniensis 365
- Pisolithus 158
- Placolecanora
 - liukuensis 333
- Placosoma 35

- [Placosoma] nothopanacis 35
 Pleospora 476
 delicatula 476
 penicillus 476
 tragacanthae 476
 Pleotrichiella
 australiensis 476
 Pleurocybella 226
 Pleuroflammula 225
 Pleurotus 226
 Pluteus 225
 Podoconis 37
 Polydesmus 16
 Polyozellus 226
 Polyporus
 albomarginatus 350-351
 campbellii 357
 grammocephalus 365
 kermes 350
 laeticolor 350
 purpureaurantiacus 350
 Poria
 braceii 357
 Porostereum
 spadiceum 83
 Porpoloma 226
 Pouzarella 225
 Protoventuria 474
 arizonica 475
 NEVADENSIS 473, 475*-476
 Psathyrella 225
 Pseudoarmillariella 226
 Pseudobaeospora 225
 Pseudoclitocybe 226
 PSEUDODERMATOSORUS 207, 213*,
 215-216, 220
 ALISMATIS-OLIGOCOCCI 207, 214-
 215*, 219
 SAGITTARIAE 207, 215*
 Pseudodoassansia 212, 220
 PSEUDOTRACYA 207, 216*, 219-220
 OTTELLIAE 207, 216*-217, 219
 Psilocybe 225, 489
 Psoroma 223
 Pyrenogaster 428
 Pyrofomes 350-351
 Pythium 238
 Radulomyces
 confluens 83
 molaris 83
 Relicina 139
 Relicinopsis
 malaccensis 125
 Repetophragmia 16
 Resinomycena 226
 Resupinatus 226
 Rhamphoria 65
 Rhizopogon 267-268, 271-275, 279
 Subg. Rhizopogon 268
 Subg. Rhizopogonella 268
 Sect. Amylopogon 268, 275
 Sect. Fulviglebae 268
 Sect. Rhizopogon 267-268, 271, 274-275,
 282
 Sect. Villosuli 268, 274-275
 albus 135-137
 corsicus 269, 274-277, 280-281
 luteolus 267, 269, 274-277, 280-281
 luteorubescens 270, 278
 pumilionum 278
 rocabrunae 269, 274-278, 280-281
 roseolus 267-271, 274-278, 280-282
 rubescens
 var. rubescens 278
 subcaerulescens 268, 271-272, 274-277,
 280-281
 subsalmonius 269, 274-278, 280-281
 villosulus 268-269, 274-277, 280-281
 vulgaris
 var. intermedius 270, 278
 var. vulgarius 278
 Rhodocybe 225
 Rhodophyllus
 griseocyaneus
 var. nudipes 99
 Rhodotus 226
 Rickenella 226
 Rigidoporus 353
 amazonensis 353
 dextrinoideus 361, 365
 microporus 353
 MUTABILIS 335, 351, 352*-353
 vinctus
 var. cinerea 366
 Rimbachia 226
 Rimelia
 reticulata 401
 Ripartites 225
 Rozites 225
 Russula 142, 225
 messapica 142
 Saccharomyces
 bayanus 249
 cerevisiae 243-244
 pastorianus 249
 Saccharomycopsis 241-243, 247, 249
 capsularis 243-244
 crataegensis 243-244
 fermentans 243-244
 fibuligera 243-244
 javanensis 243-244
 malanga 243-244

- [Saccharomycopsis] MICROSPORA 241,
 243-245*, 248
 schoenii 243-244
 selenospora 243-244
 synnaedendra 241-245, 249
 vini 243-244
- Santessoniella 323
- Schizophyllum 226
- Schizopora
 paradoxa 362
- Schizosaccharomyces
 pombe 243-244
- Scleroderma 252
 bovista 135
 citrinum 135
- Sclerophora 185
 nivea 185, 189, 198
- Sclerotinia
 minor 37
- Scopuloides
 leprosa 83
 rimosa 83
- Scytinostroma
 portentosum 84
- Scytinostromella
 olivaceoalba 84
- Secotium
 tenuipes 141-142
- Selenosporella 15, 36-38, 65
- Septoideum 35
- Septonema
 keilmeyerae 35-36
- Setchelligaster 141, 146
 rheophylla 141
 tenuipes 141-144, 146
- Setocampanula 37, 65
- Simocybe 225
- Sistotrema
 brinkmannii 84
 efibulatum 84
 oblongisporum 84
 octosporum 84
 resinicystidiatum 84
- Sistotremella
 hauerslevii 84
 perpusilla 84
- Skeletocutis 351
 diluta 366
- Spadicoides 39, 58, 66
- Spegazzinia
 tessartha 35
- Sphaeria
 bihyalina 62
 caesariata 18, 22, 62
 hemipsila 63
 nigrita 45, 48, 50, 54, 64
 phaeostroma 64
 phaeostromoides 64
 tristis 65
- Sphaerophorus 170, 185
 fragilis 185, 190, 198
 globosus 186, 190, 198
- Sphinctrina 187
 anglica 188, 190
 leucopoda 188-189
 tubaeformis 187, 190, 198, 401
 turbinata 187, 189, 198
- Sporidesmiella 16
- Sporidesmium 13-14, 16-17, 26, 34-38, 40,
 62, 65
 adscendens 13, 24, 26, 33-34
 bambusicola 14, 26, 28
 clarkii 39-40
 hormiscioides 13, 18, 24
 kielmeyerae 35
 larvatum 14-15, 17, 24, 26, 30, 32-34
 tropicale 38
 vermiculatum 18
- Sporoschisma 39
- Sporothrix 408, 411
- Squamania 226, 231
- Stanjehughesia 16, 33-35
 hormiscioides 18
 larvata 30, 33-34
 vermiculata 18
- Steccherinum
 bourdotii 84
 fimbriatum 85
 ochraceum 85
 rawakense 457, 468-470
- Stemonaria 316-317
 longa 315-316
- Stemonitis 317
 flavogenita 316
 fusca 316
 herbatica 316
 nigrescens 316
 smithii 316
- Stemonitopsis 317
 gracilis 307, 316
 typhina 317
- Stenocybe
 major 189
 pullatula 189
- Stereum
 hirsutum 85
- Stirtonia
 macrocarpa 332
- Strobilurus 226
- Stropharia 225
- Subulicium
 lautum 85

- Subulicystidium
 longisporum 85
 Suillus 146, 267-268, 272-273, 279, 489
 asiaticus 272, 280-281
 bovinus 272, 280-281
 cavipes 272, 280-281
 collinitus 272, 280-281
 decipiens 272, 280-281
 granulatus 272, 280-281
 grevillei 272, 280-281
 grisellus 272, 280-281
 laricinus 272, 280-281
 luteus 157, 272, 280-281
 ochraceoroseus 272, 279-282
 paluster 272, 280-281
 punctipes 272, 280-281
 sibiricus 272, 280-281
 sinuspaulianus 272, 280-281
 spectabilis 272, 279-281
 tridentinus 272, 280-281
 variegatus 272, 280-281
 Tectella 226
 Tengiomycetes 38, 58, 62, 66
 indicus 63
 Terana
 caerulea 85
 Teratosperma 37-38
 anacardii 37
 cornigerum 37
 sclerotivora 37
 subulatum 37
 uniappendiculata 38
 Thaxteria
 fusca 63
 phaeostroma 64
 Thelephora
 rosea 458
 Thelomma 187
 mammosum 189-190
 siliceum 169, 187-188, 190, 198
 Tracyna 212, 216, 219-220
 Trametes
 cubensis 355
 CYSTIDIATA 335, 353*-355
 elegans 355
 Trechispora
 alnicola 85
 cohaerens 85
 farinacea 85
 microspora 85
 nivea 85
 Trichaptum 146
 Tricholoma 226
 steffenii 108
 Tricholomopsis 226
 Trichosphaeria 65
 Truncocolumella
 citrina 268, 271-274, 276-277, 279-281
 Tubaria 225
 Tuber 137
 album 135-137
 borchii 135, 137
 rufum 136
 Tubulicrinis
 calothrix 85
 Tylothallia
 pahiensis 401
 Tyromyces
 hypocitrinus 366
 xuchilensis 366
 UMBRINOSPHAERIA 13, 15, 17*, 35-40,
 62, 65
 CAESARIATA 13, 15, 17-18*, 21-24, 38-
 39, 62, 64
 Ustilago
 endotricha 207-208, 212
 Veramycina 38, 58, 66
 Volvariella 225
 Vuilleminia
 comedens 86
 Wettsteinina 476
 Wrightoporia 357
 BRACEII 335, 357*
 EFIBULATA 335, 355*-356
 Xanthoparmelia 1, 6-9, 89-90, 417, 420, 431
 albomaculata 9
 australasica 401
 barbatica 92, 419, 421
 BARTHOLOTTII 1, 3*-5
 blackdownensis 10
 COMMONII 417*-418, 420
 congensis 125
 digitiformis 417-418
 dubitata 6-7
 EGANII 417, 419*-421
 endochrysea 5-6
 HONDENSIS 1, 4, 5*-6
 HYPOTHAMNOLICA 1, 6*-8
 ISIDIOTEGETA 89*-91
 medusina 9
 mougeotina 91, 125
 neowyomingica 417, 421
 notata 9
 NOTATICA 1, 7*-8
 phillipsiana 91
 remanens 11
 STANTHORPENSIS 89-90, 92*
 subconvoluta 418
 SUBUMBILICATA 1, 8-9*
 tegeta 89, 91
 tenacea 3, 5
 thamnolica 7, 10

- [*Xanthoparmelia*] *weberi* 7
 ZIMBABWANA 1, 8, 10*
- Xanthoria*
ligulata 401
- Xenasma*
pulverulentum 86
- Xenoheteroconium* 295
- Xeromphalina* 226
- Xerula* 105-106, 226
 Sect. *Xerula* 106, 108
americana 108
 HISPIDA 105*-108
macracantha 108-109
melanotricha 108
pilosa 108
- pudens* 108
radicata 108
steffenii 105, 108-109
- Xylaria* 129
arbuscula 130-132
botrys 131-132
feejeensis 129, 131
longipes 133
microceras 129, 131-132
pallide-ostiolata 129-130, 132-133
poitei 129-130
polymorpha 130
striata
 var. *sonorensis* 129-130
uniapiculata 129, 131, 133

ERRATA

VOLUME SIXTY-NINE

- Cover pg. 1, line 30 for *Beir Mathiassen* read *Geir Mathiassen*
 (as well as on page iii, line 28, page 523, line 13, and page 524, line 18)
- Page 424, fig. 2 *photographs should be reversed and rotated by 180°*: as printed, the left photograph represents spores of *Amylostereum chailletii* and the right one spores of *A. areolatum*

VOLUME SIXTY

- Page ii, line 34 for 1998 read 1999